M

CATALOGUE OF THE CULTURE COLLECTION OF THE COMMONWEALTH MYCOLOGICAL INSTITUTE

Second edition Supplement 1 July, 1957

NEW ACCESSIONS

Absidia spinosa Lend.
68,077 Soil, Cambridge, 1947. J.H.Warcup(B.M.60)—C.G.Dobbs.

Armillaria mellea (Vahl. ex Fr.) Quél.
68,080 Sporophore, Chatsworth Park, Derbyshire, 1956. A.H.S.Brown.

Ascocybe grovesii Wells
68,865 Pinus strobus boards, Canada—FPRL(46/1/51), 1956—CMI.

Aspergillus flavus Link
68,114 Cured coffee, Belgian Congo, 1956. R.M.Nattrass(2035).

Aspergillus mangini Thom & Raper
68,766 Chocolate product, Slough, Middlesex. K.J.Gardner—CMI, 1957.

Beauveria densa (Link) Picard
68,048 Earwig on Yew, Boxhill, Surrey, 1956. A.H.S.Brown.

Biatorella difformis (Fr.) Wainio
68,125(b) Pinus stump, Brandon, Suffolk. J.Rishbeth—CMI, 1956.
68,387 Scots pine stump, Cambridge. J.Rishbeth—CMI, 1957.
69,012 Picea glauca, Kananaskis, Alberta, Canada, 1953. R.J.Bourchier (DACF.1046)—J.W.Groves—CMI, 1957, as Retinocyclus abietis (Crouan) Groves & Wells (A).

Biatorella resinae (Fr.) Mudd.
68,125(a) Pinus stump, Brandon, Suffolk. J.Rishbeth—CMI, 1956.
68,738 Pinus contorta, Kirkhill Forest, Scotland. S.Batko—CMI, 1957.

Bispora antennata (Pers. ex Fr.) Mason
68,057 Rotten Wood, Chatsworth Park, Derbyshire, 1956. S.Francis.

Bisporomyces chlamydosporis van Beyma
68,326 Soil, Woburn Exp. Sta., England. E.A.Peterson(18)—CMI, 1956.

Botryotrichum piluliferum Sacc. & March.
68,736 Cellophane buried in sandy loam soil, Hildersham, Cambridge. H.Tribe(298A)—CMI, 1957.

Calcarisporium arbuscula Preuss
68,083 Russula nigricans, Ruislip Woods, Middx, 1956. A.H.S.Brown.

Cephalosporium aphidicola Petch
68,689 Trialeurodes vaporariorum, G.B. N.W.Hussey—CMI, 1957.

Chaetomium bostrychodes Zopf
67,946 Rabbit dung, Richmond Park, Surrey, 1956. J. Hawkins.

Chaetomium murorum Corda
68,391 Rabbit dung, Richmond Park, Surrey, 1956. J. Hawkins.

Chaetostylum fresenii van Tiegh. & Le Monn.
68,074 Rotten meat, Cambridge, 1920. F. T. Brooks(J)—J. N. Lythgoe.

Cladosporium resinae (Lindau) De Vries f. resinae
68,388 Creosoted telegraph pole. FPRL(5131)—J. Rishbeth, 1952.

Cladosporium resinae (Lindau) De Vries f. avellaneum De Vries
68,131 Pine stump, Brandon, Suffolk. J. Rishbeth(5)—CMI, 1956.

Cladosporium sphaerospermum Penzig
68,989 Whitefly, G. B. N. W. Hussey—CMI, 1957.

Clathrospora diplospora (Ellis & Everh.) Wehm.
68,086 Anemone occidentalis, Mount Shasta, California, U. S. A., 1947. W. B. Cooke(20285). (= QM. 1278).

Clathrospora elynae Rabenh.
68,085 Juncus mertensianus, Mount Shasta, California, U. S. A., 1946. W. B. Cooke(18427). (= QM. 1277).

Conidiobolus rhysosporus Drechsler
68,880 Apothecia of Ascobolus sp., on cow dung, Box Hill, Surrey, Oct. 1956. V. Dring(18/3).

Coniochaeta hansenii (Oud.) Cain
68,392 Rabbit dung, Richmond Park, Surrey, 1956. J. Hawkins.

Corticium solani (Prill. & Delacr.) Bourd. & Galz.
68,031 Helianthus tuberosus × H. macrophyllus, Kenya, 1956. R. M. Nattrass (2034).
68,996 Arachis hypogea, India. M. S. Kang(23)—CMI, 1957.

Coryne sarcoides (Jacq. ex Fries) Tul.
68,130 Pinus stump, Brandon, Suffolk. J. Rishbeth(4)—CMI, 1956.
68,831 Rotten wood, Lincolnshire, 1956. G. M. Waterhouse.

Curvularia geniculata (Tracy & Earle) Boedijn
68,977 Oil palm, Layang Layang, Johore, Malaya. A. Johnston(C159)—CMI, 1956.

Cylindrocarpon tenue Bugnicourt
63,862(h) Theobroma cacao, Sierra Leone. C. T. Pyne(M. 6494)—CMI, 1956.
68,205 (A) Indigofera indecaphylla, Indo-China. F. Bugnicourt—J. Nicot(M. P. 540)—CMI, 1957.

Dictyostelium discoideum Raper
69,094 (A) K. B. Raper—CBS—CMI, 1957.

Diplococcium avellaneum Sappa & Mosca
67,827 Soil, Italian Somaliland, 1956. J. Meyer.

Emericellopsis minima Stolk
68,333 Trifolium pratense, Rothamsted Exp. Sta., Herts. E. A. Peterson(25) —CMI, 1956.

Emericellopsis terricola van Beyma
68,332 Soil, Woburn Exp. Sta., England. E. A. Peterson(24)—CMI, 1956.

Entomophthora coronata (Cost.) Kevorkian
(Syn. Conidiobolus villosus Martin)
68,174 On Peziza sp. on cattle manure, Singapore, 1957. A. Thompson.

Epicoccum purpurascens Ehrenb. ex Wallr.
68,797 Citrus. L. D. Galloway—CMI, 1957.

Fomes annosus (Fr.) Cooke
68,421 Scots pine, Alice Holt Forest, Wrecclesham, Surrey. S. Batko—CMI, 1957.
68,762 Blotting paper near Abies procera seeds, Seed Testing Lab., Forestry Commission. S. Batko—CMI, 1957.

Fusariella bizzozeriana (Sacc.) Hughes
67,732 Soil, Sahara, 1956. J. Nicot.

Fusarium avenaceum (Fr.) Sacc.
68,113 Oat grain, Scotland. M. Noble—CMI, 1957.

Fusarium oxysporum Schlecht. ex Fr.
68,413 Narcissus pseudonarcissus, S. Africa. V. A. Wager(128)—CMI, 1957.
68,681 Gossypium barbarense, Sudan. S. A. J. Tarr—CMI, 1956.

Fusarium oxysporum f. lycopersici (Sacc.) Snyder & Hansen
68,357 Tomato from Guernsey, 1952. P. H. Williams.

Fusarium solani (Mart.) Sacc.
68,412 Hyacinth, S. Africa. V. A. Wager(129)—CMI, 1957.

Gibberella fujikuroi (Sawada) Wollenw.
68,200 Rice, Sierra Leone. C. T. Pyne(M. 6508)—CMI, 1956.
68,954 Gladiolus sp. N. Rhodesia. A. Angus(37a)—CMI, 1957.
69,246 Soil, Iraq. M. K. Tolba(1)—CMI, 1957.

Gliocladium catenulatum Gilman & Abbott
68,340 Iris bulbs (var. Wedgewood), Guernsey, C.I. D. J. Harrison(A)—CMI, 1956.
68,997 Groundnut, India. M. S. Kang(99)—CMI, 1957.

Gliocladium deliquescens Sopp
67,988 Stomach contents of aborted bovine foetus, Weybridge, 1956. P. K. C. Austwick(A. 207/1).
69,036 Eucalyptus regnans, Tarra Valley Park, Australia, 1956. N. Walters (6216B).

Glomerella cingulata (Stonem.) Spauld. & Schrenk
68,838 Capsicum annuum, Andra Pradesh, India. P. Govinda Rao(1)—CMI, 1957.

Griphosphaeria corticola (Fuckel) v. Höhnel
68,246 Rose shoots, Ely, Cambs. Plant Protection Ltd.—CMI, 1957.

Helicodendron multicatenulatum van Beverwijk
49,343 (T) Grass leaf in marsh, near Baarn, Holland, 1949. A. L. van Beverwijk.

Helicostylum elegans Corda
60,440(ii) Dead wood lice, Brecklands, Suffolk, 1954. J. N. Lythgoe.

Helminthosporium catenarium Drechsler
63,798 Phleum pratense, Scotland, 1956. M. Noble.
63,937 Festuca pratensis, Hellerup, Denmark, 1956. H. Andersen(856/55-57).

Helminthosporium siccans Drechsler
63,936(b) Lolium perenne, Hellerup, Denmark, 1956. H. Andersen(16/56-57).

Idriella lunata Nelson & Wilhelm
67,935 (T) Roots of Fragaria chiloensis v. ananassae, California, U.S.A., 1950. P. E. Nelson.

Lasiobolus pilosus (Fr.) Sacc.
68,967 Rabbit dung, Richmond Park, Surrey, 1957. J. Hawkins.

Leptosphaeria heterospora (De Not.) Niessl
68,084 Poa epilis, Mount Shasta, California, U.S.A., 1947. W. B. Cooke (20477).

Masoniella grisea G. Smith
68,389(a) Surface of an old picture, Kew, 1957. A. B. Thomas.

Melanomma callicarpum (Sacc.) Berl.
68,334 Wheat, Woburn Exp. Sta., England. E. A. Peterson(26)—CMI, 1956.

Melanospora zamiae Corda
68,202 Husk and leaves of Oryza sativa, Sierra Leone. C. T. Pyne(M. 6510)—1956.

Microascus cirrosus Curzi
68,042 Skin scraping of dog, Upton-on-Severn, Glouchestershire. P. K. C. Austwick(V. 940/2)—CMI, 1956.
68,043 Stomach contents of aborted bovine foetus, Weybridge. P. K. C. Austwick (A. 376)—CMI, 1956.

Mucor rouxianus Wehmer
68,072 CBS, 1953—Birkbeck College.

Nectria aurantiaca (Tul.) Jacz.
63,581(a) Ulmus sp., Warwickshire, 1956. E. A. Ellis.

Nectria haematococca Berk. & Br.
63,862(i) Cacao, Sierra Leone, 1956. C. T. Pyne(M. 6494).

Nectria jungneri P. Henn.
63862(c) Cacao, Sierra Leone, C. T. Pyne(M. 6494)—CMI, 1956.

Nectria ochroleuca (Schw.) Berk.
61,738(b) Cacao, Sierra Leone, 1955. C. T. Pyne(M. 6439).

Neurospora crassa Shear & Dodge
68,614 D. H. Smyth—CMI, 1957. Strain 3411 (Amino-acid-oxidase).

Oidiodendron rhodogenum Robak
67,992 Stomach contents of aborted bovine foetus, Weybridge, 1956. P. K. C. Austwick(A. 560).

Ophionectria cylindrospora (Sollm.) Berl. & Vogl.
68,123 Pine stump, Brandon, Suffolk. J. Rishbeth—CMI, 1956.

Otthia ulmi Fab.
63,581(b) Elm, Warwickshire, 1956. E. A. Ellis.

Paecilomyces carneus (Duché et Heim) Brown & Smith
58,417 Soil, G. B., 1931. J. H. V. Charles—G. Smith (BB. 132)—A. H. S. Brown (Pa16).
58,418 Soil, Lakenheath Warren, Suffolk, 1947. J. H. Warcup(B. 5)—G. Smith (S109)—A. H. S. Brown(Pa19).
58,424 Mouldy wall in vaults, London, 1950. A. H. S. Brown(Pa27).
58,429 Soil, Wicken Fen, Cambridge, 1951. H. Stenton(W. 113)—A. H. S. Brown (Pa33).
58,434 Duché—CBS (as Spicaria carnea Duché & Heim (A).)—A. H. S. Brown (Pa39), 1951.
58,435 CBS—A. H. S. Brown(Pa. 40), 1951 (as Spicaria decumbens Oud.).
58,447 Soil from road side, Gelston, Castle Douglas, 1952. S. Marcus(825)—A. H. S. Brown(Pa56).
59,470 Chalk soil, England, 1955. V. Sankey.

Paecilomyces farinosus (Dicks. ex Fr.) Brown & Smith
34,420 E. W. Mason—CBS—CMI, 1949. (as Isaria farinosa).
50,915 Pupa of Mammestra brassicae, Belfast, N'n Ireland, 1952. A. E. Muskett.
58,441 Beckhuis v. Till—CBS—A. H. S. Brown(Pa. 46), 1951 as Spicaria verticilata (Corda) Lindau.
58,444 CBS—A. H. S. Brown(Pa50), 1951 as Isaria farinosa (Dicks.) Fr.
58,712 J. Nicot (Mycothèque, Paris)—G. Smith(Pa65), 1954.
61,355 An insect, Forest of Dean, 1955. A. H. S. Brown.
67,745 Pupa, among leaves, Hardcastle Craggs, 1956. R. Watling.

Paecilomyces flavescens Brown & Smith
45,948 (T) Soil, Ampthill Forest Nursery, Beds., 1949. Mrs. Brind(A. H. I. 4) = A. H. S. Brown(Pa35).

Paecilomyces fumosoroseus (Wize) Brown & Smith
58,413 Butter, Cork, Ireland. Inst. Dairy Sci., Cork—CBS—A. H. S. Brown (Pa6), 1950. (As Paecilomyces hibernicus Kennelly & Grimes (A)).
58,433 Vuillemin—CBS—A. H. S. Brown(Pa38), 1951 as Spicaria aphodii Vuill. A).
58,439 Bondarzew—CBS—A. H. S. Brown(Pa44), 1951 as Spicaria fumosorosea (Wize) Vassily.
58,440 CBS—A. H. S. Brown(Pa45), 1951 as Spicaria fumosorosea (Wize) Vassily.
58,455 Soil, Wicken Fen, Cambridge, H. Stenton(W28)—A. H. S. Brown(Pa51), 1951.

59, 161 Bemisia inconspicua, Ceylon. C.M.E.Mendis, 1955.
59, 628(c) Alkaline gelatine containing potassium ferrocyanide, Egypt, 1955. A.H.Montasiz.

Paecilomyces herbarum Brown & Smith
53, 581 (T) Urtica dioica, Mulgrave Woods, Yorkshire, 1953. C.Booth—A.H.S. Brown(Pa63).

Paecilomyces marquandii (Massee) Hughes
(Syn. Spicaria violacea Abbott)
39, 815 Soil, U.S A. Gilman & Abbott—C. Thom(4894.4), 1927; NRRL(901)—G.Smith, 1949 as Spicaria violacea Abbott (T).

Paecilomyces parvus Brown & Smith
(Syn. P.burci (Poll.) Thom)
58, 410 (T) Stühmer—CBS—A.H.S.Brown(Pa3), 1950.

Paecilomyces varioti Bain.
58, 411 Nakazawa—CBS (as Paecilomyces mandshuricus (Saito) Thom var. saturatus Nak., Tak., & Suem. (A))—A.H.S.Brown(Pa4), 1950.
58, 416 NRRL(1123), 1946—G.Smith(P.219)—A.H.S.Brown(Pa18) as Penicillium viniferum Sakaguchi.
58, 427 NRRL(1282), 1946—G.Smith(X.26) as Monilia formosa Sak., Inoué & Tada—A.H.S.Brown(Pa31).

Penicillium aculeatum Raper & Fennell var. apiculatum Abe
68, 239 (T) ?Soil, Japan. S.Abe(FAT.1152)—CMI, 1957.

Penicillium adametzioides Abe
68, 227 (A) ?Soil, Japan. S.Abe(FAT.1302)—CMI, 1957.

Penicillium brunneostoloniferum Abe
68, 217 (T) ?Soil, Japan. S.Abe(FAT.1132)—CMI, 1957.

Penicillium charlesii G.Smith var. rapidum Abe
68, 228 (T) ?Soil, Japan. S.Abe(FAT.831)—CMI, 1957.

Penicillium chrysogenum Thom var. fulvescens Takashima, Arima & Abe
68, 231 (A) ?Soil, Japan. S Abe(FAT.515)—CMI, 1957.

Penicillium citreovirens Abe
68, 230 (A) ?Soil, Japan. S.Abe(FAT.320)—CMI, 1957.

Penicillium cireoviride Biourge var. aeneum Abe
68, 225 (A) ?Soil, Japan. S.Abe(FAT.123)—CMI, 1957.

Penicillium citrinum Thom
68, 214 ?Soil, Japan. S.Abe(FAT.513)—CMI, 1957.

Penicillium claviforme Bain. var candicans Abe & Ura
68, 237 (A) ?Soil, Japan. S.Abe(FAT.1277)—CMI, 1957.

Penicillium claviforme Bain. var. olivicolor Abe & Ura
68, 238 (A) ?Soil, Japan. S.Abe(FAT.1278)—CMI, 1957.

Penicillium concavorugulosum Abe
68, 240 (A) ?Soil, Japan. S.Abe(FAT.924)—CMI, 1957.

Penicillium corylophiloides Abe
68,229 (T) ?Soil, Japan. S Abe(FAT.306)—CMI, 1957.

Penicillium corymbiferum Westling
68,783 Iris bulbs, Guernsey, C.I. D.J.Harrison—CMI, 1957.

Penicillium decumbens Thom var.atrovirens Abe
68,223 (A) ?Soil, Japan. S.Abe(FAT.1140)—CMI, 1957.

Penicillium digitatum Sacc. var.latum Abe
68,233 (T) ?Soil, Japan. S.Abe(FAT.605)—CMI, 1957.

Penicillium echinulonalgiovense Abe
68,213 (T) ?Soil, Japan. S.Abe(FAT.907)—CMI, 1957.

Penicillium ehrlichii Kleb.
67,867 Man, England, 1956. C.P.La Touche.

Penicillium estinogenum Komatsu & Abe
68,241 (T) ?Soil, Japan. S.Abe(FAT.1196)—CMI, 1957.

Penicillium fellutanum Biourge var. nigrocastaneum Abe
68,224 (T) ?Soil, Japan. S.Abe(FAT.623)—CMI, 1957.

Penicillium fuscoflavum Abe
68,226 (T) ?Soil, Japan. S.Abe(FAT.1081)—CMI, 1957.

Penicillium lilacinoechinulatum Abe
68,211 (T) ?Soil, Japan. S.Abe(FAT.84)—CMI, 1957.

Penicillium meleagrinum Biourge var.viridiflavum Abe
68,232 (A) ?Soil, Japan. S.Abe(FAT.803)—CMI, 1957.

Penicillium oxalicum Currie & Thom
68,215 ?Soil, Japan. S.Abe(FAT.1180)—CMI, 1957.

Penicillium palitans Westl. var. echinoconidium Abe
68,236 (A) ?Soil, Japan. S.Abe(FAT.1019)—CMI, 1957.

Penicillium lilacinum Thom
68,212 ?Soil, Japan. S.Abe(FAT.1233)—CMI, 1957.

Penicillium paraherquei Abe
68,220 (A) ?Soil, Japan. S.Abe(FAT.964)—CMI, 1957.

Penicillium piceum Raper & Fennell
67,999 Milk sample from mastitis, Weybridge, 1955. P.K.C.Austwick(9646).

Penicillium pseudocasei Abe
68,235 (T) ?Soil, Japan. S.Abe(FAT.317)—CMI, 1957.

Penicillium purpurogenum Stoll var.rubri-sclerotium Thom
68,219 ?Soil, Japan. S.Abe(FAT.562)—CMI, 1957.

Penicillium roqueforti Thom var.punctatum Abe
68,234 (T) ?Soil, Japan. S.Abe(FAT.314)—CMI, 1957.

Penicillium sacculum Dale
68,319 Soil, Woburn Exp. Sta., E. A. Peterson (Rothamsted 11)—CMI, 1956.

Penicillium sclerotigenum Yamamoto
68,616 (A) H. Yamamoto—Inst. Ferment. Osaka(6167)—CMI, 1957.

Penicillium spinuloramigenum Sasaki
68,617 (A) Y. Sasaki(B. 55)—Inst. Ferment. Osaka(5359)—CMI, 1957.

Penicillium stoloniferum Thom
68,216 ?Soil, Japan. S. Abe(FAT. 815)—CMI, 1957.

Penicillium thomii Maire
68,175 Surface of polypore, Glenmore Forest, Invernesshire, 1953. P. K. C. Austwick(L. 3).

Penicillium thomii Maire var. flavescens Abe
68,221 (T) ?Soil, Japan. S. Abe(FAT. 340)—CMI, 1957.

Penicillium trzebinskii Zaleski var. magnum Sakaguchi & Abe
68,222 (T) ?Soil, Japan. S. Abe(FAT. 24)—CMI, 1957.

Penicillium viridicyclopium Abe
68,218 (T) ?Soil, Japan. S. Abe(FAT. 843)—CMI, 1957.

Penicillium yezoensum Hanzawa
68,615 Y. Sasaki(B. 68)—Inst. Ferment., Osaka(5362)—CMI, 1957.

Periconia macrospinosa Lefebvre & Johnson
68,327 Trifolium pratense, Rothamsted Exp. Sta. E. A. Peterson(19)—CMI, 1956.

Periconiella echinochloae Batista
67,731 Soil, Sahara Desert. J. Nicot(FOOM/1)—CMI, 1956.

Petriella asymmetrica Curzi
68,971 Cotton, Aden. G. M. Wicken(ARR/4/2)—CMI, 1957.

Pezicula livida (Berk. & Br.) Rehm
68,739 Pinus contorta, Kirkhill Forest, Scotland. S. Batko—CMI, 1957.

Phytophthora cactorum (Leb. & Cohn) Schroet.
50,470 Root of apple tree, S. Rhodesia, 1952. A. Rothwell(MR. 10538).

Phytophthora cinnamomi Rands
40,506 Castanea sativa, Spain. P. Urquijo Landaluze (U).

Plicaria fulva Schneider
68,968 Casing soil, mushroom bed, Worthing, Sussex. F. C. Wood, 1957. —D. A. Reid.
69,004 Steamed soil, Guernsey, C.I. D. J. Harrison—CMI, 1957.

Podospora curvicolla (Wint.) Niessl.
68,393 Rabbit dung, Richmond Park, Surrey, 1956. J. Hawkins.

Pullularia pullulans (De Bary) Berkh.
68,034 Surface of deteriorated paint, Kenya. R. M. Nattrass(2052).

Retinocyclus abietis (Crouan) Groves & Wells
-- see Biatorella difformis

Rhizopus stolonifer (Ehrenb. ex Fr.) Lind
67,964 Fig, New Zealand, 1956. E.E.Walker.

Ryparobius crustaceus (Fuckel) Rehm
68,073 Birkbeck College, 1956.

Selinia pulchra (Wint.) Karst.
67,947 Deer dung, Richmond Park, Surrey, 1956. J.Hawkins.

Sordaria fimiseda Ces. & De Not.
67,948 Cow dung, Petersham Meadows, Richmond, Surrey, 1956. H.A.Dade.

Sordaria glutinans Cain
68,751 Rabbit dung, Blakeney Point, Norfolk, 1956. W.M.Page.

Sordaria perplexans Cain
61,518 Rabbit dung, Dipton Wood, Newcastle. W.M.Page--CMI, 1955.

Sporendonema casei Desm.
68,748(a) Wooden cheese drum, London, G.B., 1957. H.J.Worthington.

Sporormia intermedia Auersw.
67,940 Rabbit dung, Clumber Park, Derbyshire, 1956. A.H.S.Brown.

Stysanus verrucosus Oud.
68,394 Deer dung, Richmond Park, Surrey, 1956. J.Hawkins.

Thamnidium elegans Link
68,748(b) Wooden cheese drum, London, G.B., 1957. H.J.Worthington.

Torula herbarum Link ex Fr.
69,095 Red cabbage, Wageningen, Holland. CBS--CMI, 1957.

Trichoscyphella calycina (Schum. ex Fr.) Nannf.
68,127 Pine, Brandon, Suffolk. J.Rishbeth--CMI, 1956.

Volutella ciliata (Alb. & Schw.) Fr.
67,913 Pisum sativum, Sleaford, Lincs., 1954. G.M.Holland(W.H.38).

AMENDMENTS

15,397 Absidia lichtheimii (Lucet & Cost.) Lendner is now disposed as A. corymbifer (Cohn) Sacc. & Trott.

49,671 Alternaria solani: full details are - Tomato fruit, Cambridge, 1946. M.Keay(CPBG.7)--K.M.Charlton--M.Bray, Hawthorndale Lab.s, I.C.I. (K.30).

Ceratostomella radicicola Bliss should read Ceratocystis radicicola (Bliss) Moreau

31,278 Conidiobolus villosus Martin is now disposed as Entomophthora coronata (Cost.) Kevorkian

37, 228(a) Hymenula socia Sacc. is now disposed as Nectria pityrodes Mont. var. saccharina Berk. & Br.

34, 420, 50, 915, 58, 444 Isaria farinosa (Dicks.) Fr. are now disposed as Paecilomyces farinosus (Dicks. ex Fr.) Brown & Smith

58, 413 Paecilomyces hibernicus Kennelly & Grimes is now disposed as Paecilomyces fumosoroseus (Wize) Brown & Smith

58, 416 Penicillium viniferum Sakaguchi is now disposed as Paecilomyces varioti Bain.

58, 433 Spicaria aphodii Vuill. is now disposed as Paecilomyces fumosoroseus (Wize) Brown & Smith

58, 434 Spicaria carnea Duché & Heim is now disposed as Paecilomyces carneus (Duché & Heim) Brown & Smith

58, 435 Spicaria decumbens Oud. is now disposed as Paecilomyces carneus (Duché & Heim) Brown & Smith

58, 439, 58, 440 Spicaria fumosorosea (Wize) Vassily is now disposed as Paecilomyces fumosoroseus (Wize) Brown & Smith

58, 441 Spicaria verticillata (Corda) Lindau is now disposed as Paecilomyces farinosus (Dicks. ex Fr.) Brown & Smith

51, 266(b) Rhinotrichum lanosum (Cooke) Cooke is now disposed as Clinotrichum lanosum Cooke

DELETIONS

44, 920 Acremoniella verrucosa

61, 690(c) Alternaria longipes

31, 994 Arthrobotrys oligospora

16, 147 Aspergillus candidus

16, 134 Aspergillus chevalieri

38, 577 Aspergillus nidulans Blue B alpha

38, 582 Aspergillus nidulans S delta

38, 587 Aspergillus nidulans S kappa

38, 593 Aspergillus nidulans S upsilon

16, 058 Aspergillus wentii

53, 639 Camposporium pellucidum

44, 613 Claviceps purpurea

31, 291 Dendryphion laxum

42, 050 Fusarium oxysporum

45, 920 Fusarium oxysporum

49, 360 Fusarium solani

60, 057 Glomerella cingulata

56, 822 Gonatobotrys microspora

54, 373 Gonatobotrys simplex

45, 863 Haplographium calophylli

59, 609 Humicola fusco-atra

60, 224 Humicola fusco-atra

56, 685 Leptographium lundbergii

61, 511(b) Myrothecium roridum

57, 410 Papularia arundinis

39, 803 Penicillium cyclopium

39, 748 Penicillium digitatum

28, 803 Penicillium italicum

57, 233 Penicillium piscarium

58, 372 Periconia macrospinosa

36, 485 Rhizopus stolonifer

51, 920 Sclerotium coffeicola

45, 539 Spegazzinia tessarthra

39, 048 Streptomyces griseus

COMMONWEALTH MYCOLOGICAL INSTITUTE
28 JUL 1960